

EXTERIOR FINISH
AND HOUSE WRAP
AS REQUIRED BY
LOCAL CODE

MASTIC
TYPICAL EACH
SIDE AND BOTTOM

FIELD INSTALL
PANEL BOTTOM
PLATE W/ 16d
NAILS @ 16"
O.C. U.N.O.

8d NAILS @ 6" O.C.
OR EQUIVALENT
EACH SIDE. U.N.O.

OPTIONAL
SCREW
SCREW
AS REQUIRED

INSECT CLIP
OR FLASHING

R-TECH™ EPS
PERIMETER
INSULATION

STRUCTURAL MEMBER
IN WALL PANEL

GYPSUM WALL BOARD
PER CODE
REQUIREMENTS

7/16" MIN SUB-FLOOR
OVER PANEL OR
3/4" MIN SUB-FLOOR
OVER FLOOR JOISTS AS
REQUIRED BY LOCAL CODE

FORCE FLOOR PANEL

SILL SEALER

TREATED SILL PLATE

OPTIONAL SILL SEALER

ANCHOR BOLTS AS
REQUIRED BY LOCAL
CODE. U.N.O.

CONCRETE OR MASONRY
FOUNDATION WALL

PBS-108

PANEL FLOOR BLOCKING FORCE PANELS



FORCE
PANELS